



PUNTOS A DESTACAR

NURIA AVENDAÑO GARCÍA
JOSE MARIA GUITIAN CASTRILLON

Etapa 3: Manejo del Riesgo

18. Puntos a destacar/consideraciones

18. Remarks

Add any other relevant information or recommendations. For example when phytosanitary measures are not considered appropriate, recommendations for the development of other control strategies can be made (e.g. Integrated Pest Management, certification schemes).

- Recomendaciones para informar a las organizaciones regionales
- Recomendaciones para el sector, la industria
 - Puntos del ARP que requieren más investigación para eliminar incertidumbres
 - Indicar cuando no hay medidas de control para esa plaga y deberían ser desarrolladas, etc.





REFERENCIAS

NURIA AVENDAÑO GARCÍA
JOSE MARIA GUITIAN CASTRILLON

Etapa 3: Manejo del Riesgo

19. Referencias

Once the analysis has been completed, a summary should be prepared
(see the summary box at the beginning of the Express PRA)

19. REFERENCES

Provide references cited above (see [Instructions for authors to the EPPO Bulletin](#))

When referring to websites, include the web address and date accessed.




de Meyer, M., Robertson, M.P., Mansell, M.W., Ekesi, S., Tsuruta, K., Mwaiko, W., Vayssières, J-F & Peterson A.T. (2009) Ecological niche and potential geographic distribution of the invasive fruit fly *Bactrocera invadens* (Diptera, Tephritidae). *Bulletin of Entomological Research* 27, 1-14.

Global Biodiversity Information Facility (2009) Distribution of *Bactrocera invadens*
<http://data.gbif.org/welcome.htm;jsessionid=80B62E5AEF0949034447CC87200657E0>

Hurt C & Takeuchi Y (2006) *Bactrocera invadens* (Drew et al., 2005): Known information on biology, hosts, and distribution. USDA-APHIS-PPQ-CPHST-PERAL 24pp. Raleigh, NC. Unpublished report.

Mwatawala, M., De Meyer, M., Makundi R. & Maerere, A. (2009) Host range and distribution of fruit-infesting pestiferous fruit flies (Diptera, Tephritidae) in selected areas of Central Tanzania. *Bulletin of Entomological Research* 99(1), 1-13.

Sithanantham, S., Selvaraj, P., Boopathi, T. (2006) The fruit fly *Bactrocera invadens* (Tephritidae: Diptera) new to India. *Pestology* 33(9), 36-37.



Stephens, A.E.A., Kriticos, D.J. & Leriche, A. (2007) The current and future potential geographic distribution of the Oriental fruit fly, *Bactrocera dorsalis*, (Diptera: Tephritidae). *Bulletin of Entomological Research*, 97, 369-378.

Sutherst GW, Maywald GF, Bottomley W, Bourne A (2004) CLIMEX v2. User's Guide. Hearne Scientific Software Pty Ltd, Melbourne, Australia

USDA (2008) Importation of *Mangifera indica* (L.) (Mango) Fruit from the Economic Community of West African States into the Continental United States. 118 p.

Vayssières, J.F., Goergen, G., Lokossou, O., Dossa, P. & Akponon, C. (2005) A new *Bactrocera* species in Benin among mango fruit fly (Diptera: Tephritidae) species. *Fruits* 60, 371-377.



Suggested citation: EFSA PLH Panel (EFSA Panel on Plant Health), Bragard C, Dehnen-Schmutz K, Di Serio F, Gonthier P, Jacques M-A, Jaques Miret JA, Justesen AF, Magnusson CS, Milonas P, Navas-Cortes JA, Parnell S, Potting R, Reignault PL, Thulke H-H, Van der Werf W, Vicent Civera A, Yuen J, Zappala L, Bali EM, Papadopoulos N, Papanastassiou S, Czwienczek E and MacLeod A, 2020. Pestcategorisation of non-EU Tephritidae. EFSA Journal 2020;18(1):5931, 62 pp. <https://doi.org/10.2903/j.efsa.2020.5931>





RESUMEN

NURIA AVENDAÑO GARCÍA
JOSE MARIA GUITIAN CASTRILLON

EPPO Standard PM 5/5(1)

<https://www.eppo.int/>

RESUMEN

Summary ¹ of the Express Pest Risk Analysis for “ <i>pest name</i> ”			
PRA area: <i>specify the PRA area being assessed</i>			
Describe the endangered area: <i>(see question 14)</i>			
<p>Main conclusions</p> <p><i>Overall assessment of risk: (Copy your answer from Q 15).</i></p> <p><i>Phytosanitary Measures: indicate whether the pest should be recommended for immediate action in the PRA area. Summarize your answer from Q 16.</i></p> <p><i>Note: If the assessment shows that phytosanitary measures are not required for your country but there are indications that other EPPO countries are at higher risk, mention it.</i></p>			
Phytosanitary risk for the endangered area <i>(Individual ratings for likelihood of entry and establishment, and for magnitude of spread and impact are provided in the document)</i>	High <input type="checkbox"/>	Moderate <input type="checkbox"/>	Low <input type="checkbox"/>
Level of uncertainty of assessment <i>(see Q 17 for the justification of the rating. Individual ratings of uncertainty of entry, establishment, spread and impact are provided in the document)</i>	High <input type="checkbox"/>	Moderate <input type="checkbox"/>	Low <input type="checkbox"/>
<p>Other recommendations:</p> <ul style="list-style-type: none"> • <i>Inform EPPO or IPPC or EU</i> • <i>Inform industry, other stakeholders</i> • <i>State whether a detailed PRA is needed to reduce level of uncertainty (if so, state which parts of the PRA should be focused on)</i> • <i>Specify if surveys are recommended to confirm the pest status</i> • <i>State what additional work/research could help making a decision.</i> 			



¡Muchas gracias por vuestra atención!

